Application/Control Number: 10/728,396 Page 2

Art Unit: 2135

## **EXAMINER'S AMENDMENT**

1. Claims 14-23 are now cancelled.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an

Authorization for this examiner's amendment was given in a telephone

amendment, it MUST be submitted no later than the payment of the issue fee.

interview with Mr. Christopher Holt on May 21, 2008.

Applicant agrees to cancel claims 14-23.

**3.** Claims 1, 4-6, 9-13 are allowed.

**4.** Claims 2-3, 7-8, 14-23 are cancelled by applicant.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leynna T. Truvan whose telephone number is (571) 272-3851. The examiner can normally be reached on Monday - Thursday (7:00 - 5:00PM).

Application/Control Number: 10/728,396 Page 3

Art Unit: 2135

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/L. T. T./ Examiner, Art Unit 2135 /KIMYEN VU/ Supervisory Patent Examiner, Art Unit 2135